

REDEFINITION



NEW IMAGE OF SUCTION SYSTEM

FOSHAN WINQ MEDICAL TECHNOLOGY CO., LTD

MORE THAN STYLISH THE ONLY DIFFERENCE IS DIFFERENT EVERYWHERE

Water magic cube (water pumping principle)
Automatic water circulating design, not just saving water.

ORAL CENTRAL SUCTION SYSTEM

Patented product, counterfeiting prohibited



MODULAR DESIGN MAKES INSTALLATION & MAINTENANCE MORE CONVENIENT





MORE INTELLIGENT

- Self diagram detection , stop protection function
- Machine stop delay function to avoid dirt precipitation
- Pressure adjusted automatically according to the quantity of equipment used



Technical Specification

Model	Power(w)	Voltage(v)	Current (A)	Frequency(Hz)	Noises(dBa)	Weight(Kg)	Available chair qty's (Pcs)	Dimension(mm)	Maximum suction volume (cbms)	Max. Water Inlet Volume (L/min)
Q4	1.1	220	5	50	52-58	72	2-4	680*680*770	27	39.8
Q8	1.5	220	6.8	50	53-59	74	6-8	680*680*770	52	52.8
Q16	3.0	380	7.8	50	60-66	90	10-16	680*680*770	80	101.6

Q1, Q2, Q40, Q60 and more product model parameters are available on the official website: www.winqdent.cn



**MOULD MOULDING,
ELEGANT & MORE DURABLE**

CHANGE, GIANT DIFFERENCE TINY BODY, HUGE POWER

Wind power series (principle of air extraction)
Oral Central Suction system

Patented product, counterfeiting prohibited



MORE DURABLE

- External mold forming
- Special processing of stainless steel



MORE CONVENIENT

- Filter, advanced interior structure, low resistance
- Drain contamination & cleaning are more convenient





MORE INTELLIGENT

- Machine stop delay function to avoid sediment
- Self-diagram detection system, shutdown protection function
- Adjust the voltage according to the quantity of equipment used

Technical Specification

Model	Power(w)	Voltage(v)	Current (A)	Frequency(Hz)	Noises(dBa)	Weight(Kg)	Available chair qty's (Pcs)	Size (mm)	Vacuum (MBar)	Max. Water Inlet Volume (L/min)
A4	0.75	220	3.4	50-60	65	29	2-4	460*460*830	-200	36
A6	1.3	220	5.9	50-60	62	40	4-6	630*630*780	-340	62.4
A10	1.75	220	7.9	50-60	71	45	8-10	630*630*780	-380	84

A1 A2 A20 A40 and more product model parameters are available on the official website: www.winqdent.cn

WINQ AIR COMPRESSOR SERIES

Oil-free Air Compressor Series

Patented product, counterfeiting prohibited

- Oil-free, silent and easy to maintain, anti-rust tank body without impurities.
- The large pump head pumps up quickly, is not easy to protect from heat, & the imported leather cup is resistant to wear.
- The automatic control is easy to operate, the tank is protected, safe and reliable.



W4



W6



W2



Noise Absorbing Box



W20



Technical parameters

Model	Power (Kw)	Voltage(V)	Current(A)	Air tank volume (L)	Starting pressure (Mpa)	Noise (dBa)	Weight(Kg)	Rated exhaust pressure (Mpa)	Size (mm)	Available chair Qty's (Pcs)	Air Flow Volume (m³/min)
W2	0.85	220	3.8	38	0.5	59-65	26.5	0.8	460*460*770	1-2	0.064
W3	1.5	220	6.8	38	0.5	59-66	30	0.8	460*460*770	2-3	0.120
W4	1.7	220	7.7	65	0.5	65-69	46.4	0.8	880*430*730	2-4	0.140
W20	8.5	220	38.6	/	0.5	69-76	370	0.8	1360*520*1000	18-20	0.567

W6 W8 W30 W40 and more product model parameters are available on the official website: www.winqdent.cn



WinQ

Foshan WinQ Medical Technology CO.,LTD
Tel:0086-757--81797099 Fax:0086-757-81797055
Email: winqdent@qq.com QQ:2851731555
ADD: Building 6-2, Nansha Industrial Village,
Jiangli North Rd, Danzao Town, Nanhai District,
Foshan, Guangdong, China.

Remark:

We reserve the right to improve all the products without notice in advance;
the product's picture is only for your reference.
The copyright is reserved and belongs to WinQ.