




# SPRING

HEALTH PRODUCTS

## ROTARY TOOLS



**Spring Health Products, Inc.**  
705 General Washington Avenue, Suite 701  
Norristown, PA 19403

Phone: 610-630-9171  
Toll-Free: 1-800-800-1680  
Fax: 610-630-9730

[www.springhealthproducts.com](http://www.springhealthproducts.com)



# SINGLE-PATIENT USE DIAMOND

TO ORDER	GRIT LEGEND	AVAILABLE IN
1. Spring Number	Xtra Fine 30μ=XF.....	10 PK
2. Grit (see Grit Legend)	Fine 100μ=F.....	25 PK
3. Package Options:	Medium 130μ=M.....	50 PK
• 10pk blister, 25pk, 50pk, 100pk, Box-25	Coarse 145μ=C.....	100 PK
Example: 285.5 in fine, 25 pack = 285.5F-25pk	Super Coarse 180μ=SC.....	



## ROUND

Spring # 115	Spring # 120	Spring # 125	Spring # 135
ISO # 801-010-1	ISO # 801-014-1.4	ISO # 801-016-1.6	ISO # 801-023-2.3
Grit	Grit	Grit	Grit

## OCCLUSAL REDUCTION/FINISHING

Spring # 275.5	Spring # 292.3	Spring # 280.5	Spring # 285.5	Spring # 230	Spring # 234
ISO # 379-023-4.5	ISO # 368-016-3	ISO # 368-018-5	ISO # 368-023-5	ISO # 811-033-4.2	ISO # 811-037-7
Grit	Grit	Grit	Grit	Grit	Grit

## FLAME

Spring # 256.9	Spring # 260.8	Spring # 260.10	Spring # 265.8	Spring # 267.8	Spring # 267.10	Spring # 270.9	Spring # 1712.8	Spring # 1712.10
ISO # 879-018-9	ISO # 862-012-8	ISO # 863-012-10	ISO # 863-014-8	ISO # 862-016-8	ISO # 863-016-10	ISO # 863-018-9	ISO # 878K-012-8	ISO # 879K-012-10
Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit

## NEEDLE

Spring # 201.3	Spring # S1300	Spring # 1310.3	Spring # 1314.8	Spring # 1314.10	Spring # 209.10	Spring # 392-016
ISO # 889-008-3	ISO # S858-008-3	ISO # 858-008-3	ISO # 858-014-8	ISO # 859-014-10	ISO # 852-023-10	ISO # 392-016-5
Grit	Grit	Grit	Grit	Grit	Grit	Grit

## FLAT END TAPER

Spring # 700.9	Spring # 701.9	Spring # 701.11	Spring # 702.9	Spring # 702.10	Spring # 703.8	Spring # 703.10
ISO # 847-012-9	ISO # 847-014-9	ISO # 848-016-11	ISO # 847-016-9	ISO # 848-018-10	ISO # 847-018-8	ISO # 848-023-10
Grit	Grit	Grit	Grit	Grit	Grit	Grit

## ROUND END TAPER

Spring # 770.11	Spring # 771.7	Spring # 771.8	Spring # 771.10	Spring # 772.7	Spring # S772.7	Spring # 772.8	Spring # 772.10	Spring # 773.7	Spring # 773.9	Spring # 774.8	Spring # 775.7
ISO # 850-012-11	ISO # 855-012-7	ISO # 856-014-8	ISO # 850-014-10	ISO # 855-016-7	ISO # S855-016-7	ISO # 856-016-8	ISO # 850-018-10	ISO # 855-018-7	ISO # 856-018-9	ISO # 856-021-8	ISO # 856-023-7
Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit

*“Spring Single Patient Diamond felt like I was using an electric handpiece but I wasn’t.”*

- Manchester, NH, Evaluator

## WHEEL

Spring # 860	Spring # 863
ISO # 909-035-1.1	ISO # 909-043-1.3
Grit	Grit

## FLAT END CYLINDER

Spring # 514.4	Spring # 541	Spring # S835-010	Spring # 835-010	Spring # 515.5	Spring # 515.7
ISO # 835-008-4	ISO # 835-009-3	ISO # S835-010-4	ISO # 835-010-4	ISO # 836-012-5	ISO # 837-012-7
Grit	Grit	Grit	Grit	Grit	Grit

## ROUND END CYLINDER

Spring # KS1	Spring # KS2
ISO # 880-012-7	ISO # 881-014-8
Grit	Grit

## BEVELED CYLINDER

Spring # 250.8	Spring # 250.10	Spring # 251.8
ISO # 878-012-8	ISO # 879-012-10	ISO # 878-014-8
Grit	Grit	Grit

## CURETTAGE

Spring # 254SB	Spring # 257SB	Spring # 258SB	Spring # 257SC
ISO # 878K-014-9	ISO # 878K-016-9	ISO # 878K-018-8	ISO # 879K-018-11
Grit	Grit	Grit	Grit

## BULK REDUCER

Spring # ST8
ISO # 6055-018-8
Grit

## INVERTED CONE

Spring # 312	Spring # 313	Spring # 320.2
ISO # 805-010-1	ISO # 805-014-2	ISO # 805-016-2
Grit	Grit	Grit

## DOUBLE CONE

Spring # 1250
ISO # 806-012-2.5
Grit

## MODIFIED SHOULDER

Spring # 837KR-012	Spring # 850KR-018
ISO # 837KR-012-8	ISO # 850KR-018-9
Grit	Grit

## DEPTH CUTTER 0.5mm

Spring # 834 021
ISO # 834-021-6
Grit

## TURBO FG DIAMONDS

Spring # 285.5T	Spring # 265.8T	Spring # 771.10T	Spring # 772.7T	Spring # 772.10T	Spring # 773.7T	Spring # 773.9T	Spring # 702.9T	Spring # 703.8T	Spring # 837KRT012	Spring # 850KRT018
ISO # 368T-023-5	ISO # 863T-014-8	ISO # 850T-014-10	ISO # 855T-016-7	ISO # 850T-018-10	ISO # 855T-018-7	ISO # 856T-018-9	ISO # 847T-016-9	ISO # 847T-018-8	ISO # 837KRT-012-8	ISO # 850KRT-018-9
Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit	Grit




# SPRING 705 HIGH-SPEED HAND PIECE

MADE IN USA

- Triple port waterspray
- High torque
- Glass rod for optics
- Evenly balanced for comfort
- 400,000 rpm
- All handpiece shells have a 1-year warranty


KV-SLS interchangeable with Kavo coupler  
 MB-SLS interchangeable with Midwest/Bien air coupler  
 WH-SLS interchangeable with Star coupler  
 WH-SLS interchangeable with Wand H coupler - models: RA24 and RA-25  
 VKS-5 interchangeable with Kavo 5 pin coupler  
 VKS-6 interchangeable with Kavo 6 pin with LED bulb  
 MCT-A445 Spring replacement turbine



M3-sl Standard Head



M3KV-sl Standard Head



VKS-6 with LED bulb

## PROCEDURAL KITS



SPK-101 Composite Finishing Kit	275.5XF	392-016XF	201.3XF	770.11XF	771.7XF
	275.5F	392-016F	201.3F	770.11F	771.7F

The 10 diamond instruments included in this procedural kit are ideal for shaping and finishing of composites. Contains 5 popular shapes in both fine and extra fine grits. Housed in an autoclavable aluminum bur block.



SPK-103 Chamfer Preparation Kit	275.5C	1314.8M	772.8M	772.8C	773.9M
---------------------------------	--------	---------	--------	--------	--------

The 5 diamond instruments included in this procedural kit are ideal for preparation of a rounded gingival margin for porcelain fused to metal restorations Housed in an autoclavable aluminum bur block.



Zirc 5 Zirconia Kit	772.8	260.8	285.5	125	703.8
---------------------	-------	-------	-------	-----	-------

The Zirc5 offers exceptional cutting efficiency and penetration without vibration and delivers maximum performance with effortless precision, at a painless price. We engineered the Zirc5 to demanding standards utilizing the highest quality particles to ensure vibration free penetration, optimal cutting, speed and longevity.

## PACKING OPTIONS



10 Pack Blister

Note: when ordering specify "10pk Blister" at end of part number



Standard 25, 50, or 100 Pack



Optional Box 25pc Individually Packaged

Note: when ordering specify "Box-25" at end of part number

# OPERATIVE AND SURGICAL CARBIDE BURS

Round								
Head Length	Order Number	FG	LA/RA	FGSS Short Shank	FGOS Surgical	LA/RA SS	RA SU	HP
0.5	1/4	FG 1/4	LA/RA 1/4	SS 1/4	SU 1/4			HP 1/4
0.6	1/2	FG 1/2	LA/RA 1/2	SS 1/2	SU 1/2	RASS 1/2	RASU 1/2	HP 1/2
0.8	1	FG 1	LA/RA 1	SS 1	SU 1	RASS 1	RASU 1	HP 1
1.0	2	FG 2	LA/RA 2	SS 2	SU 2	RASS 2	RASU 2	HP 2
1.2	3	FG 3	LA/RA 3	SS 3	SU 3	RASS 3	RASU 3	HP 3
1.4	4	FG 4	LA/RA 4	SS 4	SU 4	RASS 4	RASU 4	HP 4
1.6	5	FG 5	LA/RA 5	SS 5	SU 5	RASS 5		HP 5
1.8	6	FG 6	LA/RA 6	SS 6	SU 6	RASS 6	RASU 6	HP 6
2.1	7	FG 7	LA/RA 7	SS 7	SU 7			HP 7
2.3	8	FG 8	LA/RA 8	SS 8	SU 8		RASU 8	HP 8



## Pear Shaped

L1	Diam. (mm)	Order Number	FG	LA/RA	FGOS Short Shank
1.6	0.6	329	FG 329		SS 329
1.6	0.8	330	FG 330	LA/RA 330	SS 330
1.6	1.0	331	FG 331	LA/RA 331	SS 331
1.6	1.2	332	FG 332	LA/RA 332	SS 332

Inverted Cone					
Head Length	Diam. (mm)	Order Number	FG	LA/RA	FGSS Short Shank
0.4	0.6	33 1/2	FG 33 1/2	LA/RA 33 1/2	SS 33 1/2
0.6	0.8	34	FG 34	LA/RA 34	SS 34
0.7	1.0	35	FG 35	LA/RA 35	SS 35
0.8	1.2	36	FG 36	LA/RA 36	
0.8	1.4	37	FG 37	LA/RA 37	SS 37
0.8	1.6	38	FG 38	LA/RA 38	
1.3	1.8	39	FG 39	LA/RA 39	

Flat-End Cross Cut Fissure								
Head Length	Diam. (mm)	Order Number	FG	LA/RA	FGSS Short Shank	FGOS Surgical	RA SU	HP
3.2	0.9	556	FG 556	LA/RA 556	SS 556	SU 556	RASU 556	
3.7	1.0	557	FG 557	LA/RA 557	SS 557	SU 557	RASU 557	HP 557
3.7	1.2	558	FG 558		SS 558	SU 558		HP 558

Straight Fissure					
L1	Diam. (mm)	Order Number	FG	LA/RA	FGOS Short Shank
3.2	0.9	56	FG 56	LA/RA 56	SS 56
3.7	1.0	57	FG 57	LA/RA 57	SS 57
3.7	1.2	58	FG 58		SS 58
3.7	1.4	59	FG 59		

Flat-End Tapered Cut Fissure						
Head Length	Diam. (mm)	Order Number	FG	LA/RA	FGSS Short Shank	FGOS Surgical
3.2	0.9	699	FG 699	LA/RA 699	SS 699	
3.7	1.0	700	FG 700	LA/RA 700	SS 700	SU 700
3.7	1.2	701	FG 701	LA/RA 701	SS 701	SU 701
4.1	1.6	702	FG 702	LA/RA 702		SU 702
4.6	2.1	703	FG 703	LA/RA 703		SU 703
4.9	1.2	701L	FG 701L			

Flat-End Fissure					
L1	Diam. (mm)	Order Number	FG	LA/RA	FGSS Short Shank
3.2	0.9	169	FG 169	LA/RA 169	SS 169
3.7	1.0	170	FG 170	LA/RA 170	SS 170
3.7	1.2	171	FG 171	LA/RA 171	SS 171

Round End Fissure/Dome					
L1	Diam. (mm)	Order Number	FG	LA/RA	SS Short Shank
3.2	0.9	1156	FG 1156		SS 1156
3.7	1.0	1157	FG 1157	LA/RA 1157	SS 1157
3.7	1.2	1158	FG 1158		SS 1158

Pear Shaped/Dome					
L1	Diam. (mm)	Order Number	FG	LA/RA	FGOS Surgical
2.7	0.9	245	FG 245	LA/RA 245	SS 245
3.7	1.2	246	FG 246		SS 246

Round-End Cross Cut Fissure Dome					
L1	Diam. (mm)	Order Number	FG	HP	FGOS Surgical
3.2	0.9	1556	FG 1556	HP 1556	
3.7	1.0	1557	FG 1557	HP 1557	SU 1557
3.7	1.2	1558	FG 1558	HP 1558	SU 1558

FG.....Friction Grip  
 FGSS.....Friction Grip Short Shank  
 FGSU.....Friction Grip Surgical Length

LA/RA.....Right-Angle (Latch Type)  
 LA/RASU .....Latch Type/Right Angle Surgical Length  
 LA/RASS.....Latch Type/Right Angle Short Shank

HPLow Speed/Straight Hand Piece (2.56mm shank)



## TRIMMING AND FINISHING BURS

Type	Round	Flame	Taper Short	Taper Finishing Extra Long
Order #	FG7004 FG7006 FG7008 FG7009	FG7104 FG7106 FG7108	FG7114	FG7204 FG7206
Type	Taper Trimming	Chamfer Finishing	Egg	
Order #	FG7214 FG9714 FG9642	FG7283	FG7404 FG7406 FG7408	FG9406
Type	Extra Long Tapered Trimming	Bullet	Needle	Straight Finishing Dome
Order #	FG7642 FG7664	FG7801 FG7802 FG7803	FG7901 FG7902 FG7903	FG9561 FG9572

## FINE CROSS CUTS

Type	Pear Shape Crosscut	Amalgam Inverted	Straight Fissure Dome Crosscut
Order #	FG1930 FG1931 FG1932	FG1945 FG1946	FG1956 FG1957 FG1958 FG1958L
Type	Taper Dome Crosscut	Straight Fissure Crosscut	Taper Fissure Crosscut
Order #	FG1969 FG1970 FG1971	FG2056 FG2057 FG2058	FG2069 FG2070 FG2071
Type	Straight Dome	Taper Dome	
Order #	FG2157 FG2158	FG2170 FG2171	

Endo Diamond Burs				Endo Access Burs	
Order #	802L-012	802L-014	802L-018	857-014	
Order #				151Z	152EZ

## ENDO BURS

## LABORATORY DIAMONDS

● Fine ● Medium ● Coarse	Shape No.	801	801	801	801	801	805	805	807	848	848	848	837	837	837	837
	Size (1/10 mm)	012	014	016	023	029	018	023	016	018	023	030	018	023	030	040
	Length (mm)	-	-	-	-	-	1.5	2.0	4.0	10.0	10.0	10.0	6.0	10.0	10.0	15.0
	Grit	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Shape No.	848	848	850	850	856	856	856	859	860	862	863	863	842R	898	909	825
Size (1/10 mm)	018	023	016	023	012	021	025	018	012	025	012	014	018	016	055	093
Length (mm)	10.0	10.0	10.0	10.0	8.0	8.0	8.0	10.0	5.0	8.0	10.0	10.0	12.0	10.5	2.0	1.5
Grit	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

## LAB CUTTER BURS

Bur Shape	Imperial/Fractional Description	Metric Description	Chipbreaker Cut	Diamond Cut	Double Cut	 PowerT (Titanium Nitride, TiN) (append -2) Color: Gold Vickers Hardness: approximately 2,300 Vickers General purpose, entry level over uncoated carbide
	OD x LOC x Shank X OAL	OD x LOC x Shank X OAL	Regular	Fine	Coarse	
	1/4 x 3/8 .0925 x 1 7/8	6.3 x 9.5 x 2.35 x 48	52C	52CXF	52CXC	
	1/4 x 1/4 .0925 x 1 3/4	6.3 x 6.3 x 2.35 x 45	52D	52DXF	52DXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	53A	53AXF	53AXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	63B	53BXF	53BXC	
	1/4 x 5/8 .0925 x 2	6.3 x 12.7 x 2.35 x 50	82T	82TXF	82TXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	84T	84TXF	84TXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	83E	83EXF	83EXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	83EE*	83EEFX*	83EECX*	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	88A	88AXF	88AXC	
	5/32 x 1/2 .0925 x 2	4 x 12.4 x 2.35 x 50	47X	47XXF	47XXC	
	1/4 x 1/4 .0925 x 1 3/4	6.3 x 6.3 x 2.35 x 45	73C	73CXF	73CXC	
	3/16 x 3/8 .0925 x 1 7/8	5 x 9.5 x 2.35 x 48	51A	51AXF	51AXC	
	1/4 x 1/2 .0925 x 2	6.3 x 12.7 x 2.35 x 50	61A/81A	61A/81AXF	61A/81AXC	

## DIAMOND DISCS
























MADE IN USA

● Coarse ● Fine	Flexible - Single Sided			Flexible - Double Sided			Flexible - Double Sided	
	D918 190 .17	D918 (928) 220 .17	D345 (190) 190 .2	D345 (930) 220 .2	D918B (931) 220C .30	D911H (927) 220 .2	D911H (929) 220 .3	

Flexible - Double Sided - Perforated				Flexible - Double Sided - Serrated		
Spring Health No.	D405 (933)	D405 (932)	D605 (934)	Spring Health No.	D365	D365
Head Dia (1/10mm)	220	220	220	Head Dia (1/10mm)	190	220
Thickness (mm) = T	.2	.3	.2	Thickness (mm) = T	.2	.3
Grit	●	●	●	Grit	●	●





# CAD/CAM MILLING BURS

<b>Compatible with DentMill Milling Centers</b>				
Bur Shape	Imperial/Fractional Description		PowerA	
	OD x LOC x Shank x OAL	Color Code	Part ID	Price
	1/8 x 3/8 x 1/8 x 1-1/2	Orange	2806B-1	\$35.90
	.079 x 1/4 x 1/8 x 1-1/2	Black	2805B-1	\$42.90
	.040 x 1/8 x 1/8 x 1-1/2	Red	2804B-1	\$49.17
	.025 x .069 x 1/8 x 1-1/2	White	2802B-1	\$49.17
	.030 x 3/32 x 1/8 x 1-1/2	Green	2803B-1	\$49.37
	.015 x 1/16 x 1/8 x 1-1/2	Yellow	2801B-1	\$49.37
<b>Compatible with vhf Milling Centers</b>				
	3 x 10 x 3 x 35		1803B-1	\$43.43
	1 x 2 x 3 x 35		1804B-1	\$50.47
	2 x 8 x 3 x 35 3FL		1807B-1	\$67.40
	2 x 5 x 3 x 43 3FL		51A	67.40
<b>Compatible with Lava3M Milling Centers</b>				
	1 x 2 x 3 x 38	.78mm x 14mm	3000B-1	\$62.01
	2 x 2 x 3 x 38	1.6mm x 14mm	3001B-1	\$62.01
<b>Compatible with Roland DWX-4 &amp; DWX-50 Milling Centers</b>				
	OD x LOC x Shank x OAL (mm)		Part ID	Price
	2 x 6 x 4 x 50		2807B-1	\$48.37
	1 x 3.5 x 4 x 50		2808B-1	\$51.03
	2 x 5 x 4 x 50 2FL		2810-7 Power RD - Diamond Cutting	\$178.60
	1 x 4 x 4 x 45 2FL		2811-7 Power RD - Diamond Cutting	\$186.57
	0.6 x 2 x 4 x 45 2FL		2812-7 Power RD - Diamond Cutting	\$199.90
<b>Compatible with EMAS Milling Centers</b>				
	2 x 5 x 3 x 43 2FL		1805B-1	\$65.67
	1 x 3 x 3 x 43 2FL		1806B-1	\$68.33
<b>Compatible with CadBlue Milling Centers</b>				
	1 x 1.9 x 3 x 35 2FL		1809B-1	\$50.47
	2 x 3.5 x 3 x 35 2FL		1810B-1	\$67.40
<b>Compatible with Wieland Milling Centers</b>				
	2.5 x 6.12 x 3 x 35	2.25 x 12	2813B-1	\$43.02
	1 x 4.3 x 3 x 35	0.95 x 10	2814B-1	\$43.02

## WEILAND COMPATIBLE DIAMOND COATED MILLING BURS

			
1 x 9 x 35 C-1.0 \$43.00	2 x 17 x 35 C-2.0 \$43.00	3 x 18 x 35 C-3.0 \$43.00	3 x 10 x 35 C-.05 \$43.00

## CEREC COMPATIBLE DIAMOND COATED MILLING BURS

			
Compact - Step 12 - 6/Pack \$109.95	Compact - Cylinder Pointed - 6/Pack \$109.95	MCLX - Step 12S - 6/Pack \$109.95	MCLX - Cylinder Pointed 12S - 6/Pack \$109.95

(Aluminum Titanium Nitride, AlTiN) (append-1) (Real Diamond) (append-7)



For more information or to order, call 800.800.1680, +1.610.630.9171 or fax 610.630.9730  
www.SpringHealthProducts.com • Product Specialist: customercare@springhealthproducts.com